

Bars Professional



KIA 1998 – 2011

OBDII / 20-pin connector, CAN / non-CAN protocol, Diagnosis / Data / Coding

VERSION: 2V09 DATE: DEC., 2012

OBD-II CONNECTOR (CAN AND non-CAN PROTOCOLS) / 20-PIN CONNECTOR

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---------------------------------------|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 1999–2002: 1.8, 2003–2006: 1.6/1.8 | + | + | | |
| | 2003–2006: 2.0 | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2007–2011: 2.0/2.4 | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2007–2010: 2.7 | + | | | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING |
| ENGINE (DIESEL) | 2009–2011: 1.6 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| | 2003–2006: 2.0 EURO-3 | + | + | + | |
| | 2006–2011: 2.0 EURO-4 | + | + | + | 1.Injector Specific Data 2.Component Change Routine 3.Engine Test Functions 4.CPF Service Regeneration |
| AT | 2010–2011: 1.6 U2 | + | + | | |
| | 1999–2002, 2003–2006 | + | + | | |
| | 2007–2011: 2.4, 2006–2011: 2.0 CAN | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2009–2011: 1.6 | + | + | + | 1.RESETTING AUTO T/A VALUES |
| | 2007–2010: 2.7 | + | | | 1.RESETTING AUTO T/A VALUES |
| SRS-AIRBAG | 1999–2002, 2003–2006, 2007–2009 | + | + | | |
| | 2010–2011 | + | | | |
| IMMOBILIZER | 1999–2002, 2003–2006, | + | | | |
| FULL AUTO A/C | 2007–2011: ACU/WCS | | | | |

| | | | |
|------|-----------|---|---|
| BCM | 2007~2011 | | + |
| TPMS | 2007~2011 | + | + |

MODEL CARNIVAL / SEDONA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2006~2011: 2.7/3.8 KWP | + | + | + | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING |
| | 2006~2011: 2.7/3.8 CAN | + | + | + | |
| | 2002~2005: 2.5 V6 1998~2005: 2.5 KV6, 2003~2005: 3.5 | + | + | + | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING |
| | 2010~2011: 3.5 | + | + | | |
| ENGINE (DIESEL) | 2002~2005: 2.9 CRDi, 2006~2011: J2.9 CRDi | + | + | + | 1.INJECTOR SPECIFIC DATA 2.ECU INITIALIZATION |
| | 2010~2011: 2.2 R | + | + | | |
| AT | 1998~2005, 2006~2011: 2.7/3.8 GASOLINE KWP, 2006~2011: 2.9 DIESEL WGT | + | + | | |
| | 2006~2011: 2.7/3.8 GASOLINE CAN, 2006~2011: 2.9 DIESEL VGT | + | + | | 1.RESETTING AUTO T/A VALUES |
| | 2010~2011: 3.5 GASOLINE, 2010~2011: 2.2 R DIESEL | + | + | + | 1.RESETTING AUTO T/A VALUES |
| ABS | 1998~2005, 2006~2009, | + | + | | |
| | 2010~2011 | + | | | |
| SRS-AIRBAG | 1998~2005, 2006~2011: ACU/WCS | + | | | |
| IMMOBILIZER | 2006~2011 | | + | | |
| FULL AUTO A/C | 2006~2011 | + | + | | |
| TPMS | 2006~2011 | + | + | | |
| FFH | 2006~2011 | + | | | |
| PTG | 2006~2011 | + | | | |
| PSD | 2006~2011 | + | | | |
| BCM | 2006~2011 | + | | | |

MODEL CERATO / FORTE

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------------------------|---------------------------------------|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2004~2006: 1.6/2.0 -CVVT | + | + | + | |
| | 2004~2006: 2.0 +CVVT | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2007~2009: 1.6/2.0, 2009~2010: 1.6 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| | 2011:1.6 | + | + | | 1.RESET ALL ADAPTIVE VALUES |
| ENGINE (DIESEL) | 2009~2011: 2.0/2.4 | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2004~2006: 1.5/2.0 | + | + | + | |
| | 2006~2009: 1.6 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.ENGINE TEST FUNCTIONS |
| AT | 2004~2006: 1.5/1.6/2.0 TYPE 1 | + | + | | |
| | 2004~2006: 1.5/1.6/2.0 TYPE 2 | + | | | |
| | 2007~2009: 1.6/2.0 | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2009~2011: 1.6/2.0/2.4 | + | + | + | 1.RESETTING AUTO T/A VALUES |
| | 2009~2011: 5 SPEED | + | | | 1.RESETTING AUTO T/A VALUES |
| SRS-AIRBAG | 2004~2009 | + | + | | |
| | 2009~2011 | + | + | + | |
| IMMOBILIZER | 2004~2009 | + | | | |
| | 2009~2011 | + | + | | |
| EPS | 2010~2011: WCS | + | | | |
| BCM | 2004~2011 | | + | | |
| PIC-SMART KEY UNITS | 2009~2011 | + | + | | |
| | 2009~2011 | | + | | |
| PIC-POWER DISTRIBUTION MODULE | 2009~2011 | + | + | | |
| FULL AUTO A/C | 2009~2011 | + | + | | |
| TPMS | 2010~2011 | + | | | |

MODEL CLARUS

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|----------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | ~2000: 1.8/2.0 | + | + | + | |
| AT | 1998~2000 | + | + | | |
| ABS | ~2000 | + | + | | |
| SRS-AIRBAG | ~2000 | + | | | |

MODEL JOICE

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|----------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | 1999~2002: 2.0 | + | + | + | |
| AT | 1999~2002 | + | + | | |
| ABS | 1999~2002 | + | + | | |
| SRS-AIRBAG | 1999~2002 | + | + | | |

MODEL EURO STAR / PICANTO / MORNING

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2004~2011: 1.0/1.1 NON CAN | + | + | + | |
| | 2008~2011: 1.0/1.1 CAN | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| ENGINE (DIESEL) | 2006~2011: 1.1 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.ENGINE TEST FUNCTIONS |
| AT | 2004~2011: GASOLINE NON CAN, 2006~2007: DIESEL | + | + | | |
| | 2008~2011: GASOLINE CAN | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2004~2008 | + | + | | |
| | 2009~2011 | + | | | |
| SRS-AIRBAG | 2004~2011 | + | | | |
| IMMOBILIZER | 2004~2011 | | + | | |
| FULL AUTO A/C | 2008~2011 | + | + | | |
| EPS | 2006~2011 | + | + | | |

MODEL MOHAVE / BORREGO

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--------------------|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2008~2011: 3.8 | + | + | + | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING 1.RESET ALL ADAPTIVE VALUES |
| | 2008~2011: 4.6 | + | + | + | |
| ENGINE (DIESEL) | 2008~2011: 3.0S | + | + | + | 1.INJECTOR SPECIFIC DATA 2.COMPONENT CHANGE ROUTINE 3.ENGINE TEST FUNCTIONS |
| AT | 2008~2011: 3.8 | + | + | | 1.RESETTING AUTO T/A VALUES 2.TCU SUB ROM RESET 1.RESETTING AUTO T/A VALUES 2.CLEAR CAN LEARNABLE STATUS |
| | 2008~2011: 3.0/4.6 | + | + | | |
| ABS | 2008~2011 | + | + | | |
| SRS-AIRBAG | 2008~2011 | + | | | |
| IMMOBILIZER | 2008~2011 | | + | | |
| EPS | 2008~2011 | + | + | | |
| AHLS | 2008~2011 | + | | | |
| FULL AUTO A/C | 2008~2011 | + | | | |
| BCM | 2008~2011 | + | | | |
| PIC | 2008~2011 | + | | | |
| ECS | 2008~2011: MANDO | + | | | |
| TPMS | 2009~2011 | + | + | | |
| 4WD | 2008~2011 | + | | | |

MODEL RETONA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|-------------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | 1998~2001: 2.0 | + | + | | |
| AT | 1998~2001: TYPE 1 | + | + | | |
| | 1998~2001: TYPE 2 | + | | | |
| ABS | 1998~2001 | + | + | | |
| SRS-AIRBAG | 1998~2001 | + | | | |

MODEL OPIRUS / AMANTI

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--------------------------------------|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2004~2006: 3.5 | + | + | + | |
| | 2004~2006: 3.0 | + | | | |
| | 2007~2010: 2.7/3.8 KWP | + | + | + | |
| AT | 2007~2010: 2.7/3.8 CAN | + | + | + | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING |
| | 2004~2006, 2007~2010: 2.7/3.8 KWP | + | + | | |
| | 2007~2010: 2.7/3.8 CAN | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2004~2010 | + | + | | |
| SRS-AIRBAG | 2004~2010 | + | | | |
| AHLS | 2004~2010 | + | | | |
| FULL AUTO A/C | 2004~2010 | + | | | |
| EPS | 2004~2010 | + | | | |
| ECS | 2004~2010 | + | | | |
| IMMOBILIZER | 2004~2010 | | + | | |
| BCM | 2004~2010 | + | | | |
| PIC | 2004~2010 | + | | | |
| TPMS | 2007~2009 | + | + | | |

MODEL POTENTIA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|-------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | 2.0 UNLEAD | + | + | | |

MODEL PRIDE

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--------------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | ~1998: 1.3 MAP/MFI | + | + | | |

MODEL OPTIMA / MAGENTIS

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--|-------------------|-------------|------------|--|
| ENGINE (GASOLINE) | 2000~2005: 2.0/2.4/2.5, 2006~2009: 2.0/2.4 NON CAN, 2006~2010: 2.7 NON CAN | + | + | + | |
| | 2006~2010: 2.7 CAN | + | + | + | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING |
| | 2006~2010: 2.0/2.4 CAN | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2000~2005: 2.5/2.7 EURO3 | + | + | + | 1.Adaptation Reset 2.Transmission Type Selection 3.TCS exist or not |
| | 2011: 2.0/2.4 DOHC, 2.4 GDi 2011: 2.0 T-GDi | + | + | | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| ENGINE (DIESEL) | 2006~2010: 2.0 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.COMPONENT CHANGE ROUTINE 3.ENGINE TEST FUNCTIONS 4.CPF SERVICE REGENERATION |
| AT | 2000~2005: 2.0/2.4/2.5/2.7, 2006~2009: 2.0/2.4/2.7 NON CAN | + | + | | |
| | 2006~2010: 2.0/2.4/2.7 CAN, 2011: 2.0/2.4 | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2000~2005, 2006~2009 | + | + | | |
| | 2010~2011 | + | | | |
| SRS-AIRBAG | 2000~2005, 2006~2010, 2011: ACU/WCS | + | | | |
| IMMOBILIZER | 2006~2011, | | + | | |
| TPMS | 2006~2010 | + | + | | |
| | 2011 | + | | | |
| FULL AUTO A/C | 2006~2010 | + | + | | |
| | 2011 | + | | | |
| AHLS | 2011 | + | | | |
| PIC | 2009~2011 | + | | | |
| BCM | 2011 | + | | | |
| EPS | 2011 | + | | | |
| ECS | 2006~2010 | + | | | |

MODEL RIO

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---------------------------------------|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2000~2005: 1.3/1.5 | + | + | | |
| | 2003~2005: 1.6 | + | + | | |
| | 2006~2011: 1.4 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| | 2006~2011: 1.6 TYPE1 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| ENGINE (DIESEL) | 2006~2011: 1.6 TYPE2 | + | + | | 1.RESET ALL ADAPTIVE VALUES |
| | 2006~2011: 1.5 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.ENGINE TEST FUNCTIONS |
| AT | 2000~2005, 2006~2011 | + | + | | |
| ABS | 2000~2002, 2003~2005, 2006~2009 | + | + | | |
| | 2010~2011 | + | | | |
| SRS-AIRBAG | 2000~2005, 2006~2011 | + | | | |
| IMMOBILIZER | 2006~2011 | | + | | |
| EPS | 2006~2011 | + | + | | |
| TPMS | 2006~2011 | + | + | | |

MODEL SHUMA / SPECTRA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 1999~2004: 1.8, 1999~2001: 1.5, 2001~2004: 1.6 | + | + | | |
| | 2004~2006: 1.6/2.0 -CVVT | + | + | + | |
| | 2004~2006: 2.0 +CVVT | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2007~2009: 1.6/2.0 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| AT | 1999~2004, 2004~2006: 1.6 | + | + | | |
| | 2004~2006: 2.0 | + | | | |
| | 2007~2009: 1.6/2.0 | + | + | | 1. RESETTING AUTO T/A VALUES |
| ABS | 1999~2004, 2004~2009 | + | + | | |
| SRS-AIRBAG | 1999~2004, 2004~2009 | + | | | |
| FULL AUTO A/C | 2007~2009 | + | + | | |
| TPMS | 2007~2009 | + | + | | |
| IMMOBILIZER | 2001~2004: 1.6, 2004~2009 | | + | | |

MODEL SORENTO

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2003~2006: 2.4/3.5, 2007~2009: 3.3/3.8 KWP | + | + | + | |
| | 2007~2009: 3.3/3.8 CAN | | | | 1.PCM AUTO DETECTION RESET |
| | 2009~2011: 3.5 | + | + | | 2.PCM LOCK(MEC) SETTING |
| ENGINE (DIESEL) | 2009~2011: 2.4 | + | + | | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2003~2009: 2.5 EURO3 | + | + | + | 1.INJECTOR SPECIFIC DATA(OPTION) |
| | 2006~2009: 2.5 EURO4 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.COMPONENT CHANGE ROUTINE 3.ENGINE TEST FUNCTIONS |
| AT | 2009~2011: 2.0/2.2 R | + | + | | |
| | 2003~2006, 2007~2009: DIESEL | + | + | | |
| | 2007~2009: GASOLINE | + | + | | 1.RESETTING AUTO T/A VALUES 2.TCU SUB ROM RESET |
| ABS | 2009~2011: 2.0/2.2/2.4/3.5 | + | + | | 1.RESETTING AUTO T/A VALUES |
| | 2003~2009 | + | + | | |
| SRS-AIRBAG | 2009~2011 | + | | | |
| IMMOBILIZER | 2003~2009, 2009~2011: ACU/ODS | + | | | |
| | 2003~2006: DIESEL, | | | | |
| 4WD | 2007~2011 | | + | | |
| FULL AUTO A/C | 2003~2009, 2009~2011 | + | | | |
| | 2006~2009 | + | + | | |
| BCM | 2009~2011 | + | | | |
| EPS | 2006~2009 | | + | | |
| | 2009~2011 | + | | | |
| TPMS | 2003~2011 | + | + | | |
| | 2007~2009 | + | + | | |
| AHLS | 2009~2011 | + | | | |
| PIC | 2009~2011 | + | | | |
| FFH | 2009~2011 | + | | | |

MODEL SPORTAGE

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | ~1998: 2.0 | + | | | |
| | ~1998~2003: 2.0 | + | + | + | |
| | 2005~2010: 2.7 | + | + | + | |
| | 2007~2010: 2.0 CAN | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| | 2005~2010: 2.0 NON CAN | + | + | + | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2011: 2.0/2.4 DOHC TYPE 1 | + | + | | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| ENGINE (DIESEL) | 2011: 2.0/2.4 DOHC TYPE 2, 2011: 2.0 T-GDi | + | | | 1.RESET ALL ADAPTIVE VALUES 2.AUTO DETECTED CONFIGURATION RESET |
| | 2011: 1.6 GDi | + | + | | 1.RESET ALL ADAPTIVE VALUES |
| | 2005~2010: 2.0 EURO3 | + | + | + | |
| | 2006~2010: 2.0 EURO4 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.COMPONENT CHANGE ROUTINE 3.ENGINE TEST FUNCTIONS 4.CPF SERVICE REGENERATION |
| AT | 2011: 2.0 R/1.7 U2 | + | + | | |
| | ~1998 1998~2003, 2005~2010: 2.0/2.7 NON CAN | + | + | | |
| ABS | 2006~2010: 2.0 CAN, 2011: 1.6/2.0/2.4 GASOLINE | + | + | | 1.RESETTING AUTO T/A VALUES |
| | 2011: 2.0 R DIESEL | + | + | + | 1.RESETTING AUTO T/A VALUES |
| SRS-AIRBAG | ~1998~2003, 2005~2009 2010~2011 | + | + | | |
| IMMOBILIZER | ~1998~2003, 2005~2011 | + | | | |
| 4WD | 2005~2010: 2.0, 2011 | | + | | |
| FULL AUTO A/C | 2005~2010: 2.7 | + | + | | |

| | | | | |
|-------|-----------|---|--|---|
| ETACS | 2011 | + | | |
| BCM | 2005~2010 | | | + |
| TPMS | 2011 | + | | |
| AHLS | 2005~2010 | + | | + |
| EPS | 2011 | + | | |
| SPAS | 2011 | + | | |
| PIC | 2011 | + | | |

MODEL SEPHIA / MENTOR

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|---|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | ~1998: 1.8 | + | + | + | |
| | ~1998: 1.5/1.6 AFM 1 | + | | | |
| | ~1998: 1.5/1.6 MAP, 1998~2004: 1.5/1.6/1.8 | + | + | | |
| AT | 1998~2004 | + | + | | |
| ABS | ~1998 | + | | | |
| SRS-AIRBAG | 1998~2004 | + | + | | |
| | ~1998~2004 | + | | | |

MODEL VISTO

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|-------------|-------------------|-------------|------------|----------------------------|
| ENGINE (GASOLINE) | | + | + | + | 1.Adaptation Reset(OPTION) |
| AT | | + | + | | |
| ABS | | + | + | | |
| SRS-AIRBAG | | + | | | |

MODEL SOUL

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|----------------------|-------------------|-------------|------------|-----------------------------|
| ENGINE (GASOLINE) | 2009~2011: G 1.6/2.0 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| | 2011: F 1.6 | + | + | | 1.RESET ALL ADAPTIVE VALUES |
| ENGINE (DIESEL) | 2009~2011: 1.6 U2 | + | + | + | |
| AT | 2009~2011: 1.6/2.0 | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2009~2011 | + | + | + | |
| SRS-AIRBAG | 2009~2011: ACU/WCS | + | | | |
| EPS | 2009~2011 | + | + | | |
| FULL AUTO A/C | 2009~2011 | + | | | |
| IMMOBILIZER | 2009~2011: BOSCH | | + | | |
| TPMS | 2009~2011 | + | | | |
| PIC | 2009~2011 | + | | | |

MODEL CEE'D

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2007~2011: 1.4/1.6 -ETC-ISG, 2007~2011: 2.0 | + | + | + | 1.RESET ALL ADAPTIVE VALUES |
| | 2009~2011: 1.4/1.6 +ISG | + | + | | 1.RESET ALL ADAPTIVE VALUES |
| | 2009~2011: 1.6 U2 | + | + | | |
| ENGINE (DIESEL) | 2007~2011: 2.0 | + | + | + | 1.INJECTOR SPECIFIC DATA 2.COMPONENT CHANGE ROUTINE 3.ENGINE TEST FUNCTIONS 4.CPF SERVICE REGENERATION |
| | 2007~2009: 1.6 U -CPF | + | + | + | 1.INJECTOR SPECIFIC DATA 2.ENGINE TEST FUNCTIONS |
| AT | 2007~2009: 1.6 U +CPF | + | + | + | |
| ABS | 2007~2011: 1.4/1.6/2.0 | + | + | | 1.RESETTING AUTO T/A VALUES |
| | 2007~2009 | + | + | | |
| SRS-AIRBAG | 2010~2011 | + | | | |
| EPS | 2007~2011 | + | | | |
| | 2007~2009 | + | + | | |
| FULL AUTO A/C | 2010~2011 | + | | | |
| | 2007~2011: SINGLE | + | + | | |
| IMMOBILIZER | 2010~2011: DUAL | + | | | |
| TPMS | 2007~2011 | | + | | |

MODEL FRONTIER

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-----------------|-------------------------|-------------------|-------------|------------|-----------|
| ENGINE (DIESEL) | 2002~2005: 2.5 4D56 TCI | + | + | + | |

MODEL ENTERPRISE

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--------------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | ~2002: 2.5/3.0/3.6 | + | | | |
| AT | ~2002 | + | | | |
| ABS | ~2002 | + | | | |

MODEL PREGIO

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-----------------|---|-------------------|-------------|------------|-----------|
| ENGINE (DIESEL) | 1997~2006: 2.5 4D56 TCI, 1997~2006: 2.7 J2 | + | + | + | |

MODEL BESTA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-----------------|-------------------------|-------------------|-------------|------------|-----------|
| ENGINE (DIESEL) | 1997~2003: 2.5 4D56 TCI | + | + | + | |

MODEL KAON / BONGO II / BONGO III / K2500 / K2700 / K2900 / K3000

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-----------------|-------------------------|-------------------|-------------|------------|--|
| ENGINE (DIESEL) | 2002~2011: 2.5 4D56 TCI | + | + | + | 1.INJECTOR SPECIFIC DATA 2.ECU INITIALIZATION |
| | 2002~2011: K2.9 CRDi | + | + | + | |
| | 2002~2011: 2.7J2/3.0JT, | + | | | |
| AT | 2002~2011 | + | | | |
| IMMOBILIZER | 2002~2011: K2.9 CRDi | | + | | |
| ABS | 2002~2011 | + | + | | |

MODEL AVELLA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|--------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | ~2000: AFM 1 | + | | | |
| | ~2000: MAP | + | + | | |
| AT | ~2000 | + | | | |
| ABS | ~2000 | + | | | |

MODEL TOWNER

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|-------------|-------------------|-------------|------------|-----------|
| ENGINE (GASOLINE) | ~2003 | + | | | |

MODEL VENGA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|-------------------------|-------------------|-------------|------------|-----------------------------|
| ENGINE (GASOLINE) | 2010~2011: 1.4/1.6 | + | + | | 1.RESET ALL ADAPTIVE VALUES |
| ENGINE (DIESEL) | 2010~2011: 1.4/1.6 U2 | + | | | |
| AT | 2010~2011: 1.6 GASOLINE | + | | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2010~2011 | + | | | |
| SRS-AIRBAG | 2010~2011 | + | | | |
| FULL AUTO A/C | 2010~2011 | + | | | |
| IMMOBILIZER | 2010~2011 | | + | | |
| EPS | 2010~2011 | + | | | |
| TPMS | 2010~2011 | + | | | |
| PIC | 2010~2011 | + | | | |

MODEL CADENZA

| SYSTEM | TYPE & YEAR | READ / CLEAR CODE | DATA STREAM | ACTIVATION | FUNCTIONS |
|-------------------|----------------|-------------------|-------------|------------|---|
| ENGINE (GASOLINE) | 2010~2011: 3.5 | + | + | | 1.PCM AUTO DETECTION RESET 2.PCM LOCK(MEC) SETTING |
| AT | 2010~2011: 3.5 | + | + | | 1.RESETTING AUTO T/A VALUES |
| ABS | 2010~2011 | + | | | |
| SRS-AIRBAG | 2010~2011 | + | | | |
| AHLS | 2010~2011 | + | | | |
| IMMOBILIZER | 2010~2011 | | + | | |
| FULL AUTO A/C | 2010~2011 | + | | | |
| PIC | 2010~2011 | + | | | |
| BCM | 2010~2011 | + | | | |

* MOST Immobilizer systems come with Engine System, please read and clear fault code in Engine System.

* The manufacture may change the ECU versions without notification which cause the software fail to communicate with the ECU.